

UF/MF Membrane Water Treatment: Principles and Design, Dr G K Pearce

Table of Contents

Chapter 1: Introduction

- 1.1 Background
- 1.2 Membrane Markets
- 1.3 Membrane Technology for the Water Industry
 - 1.3.1 UF and MF Ratings
 - 1.3.2 Flow Configuration
- 1.4 Drivers
 - 1.4.1 Water Resources
 - 1.4.2 Drinking Water
 - 1.4.3 Wastewater Reuse
 - 1.4.4 Seawater Desalination Pre-treatment
- 1.5 Segmentation of the Water and Wastewater Market
 - 1.5.1 Application Share
 - 1.5.2 Format Share
- 1.6 Regulatory Standards
 - 1.6.1 Drinking water
 - 1.6.2 Wastewater reuse
- 1.7 Approvals

References

Chapter 2: Membrane Filtration Fundamentals

- 2.1 Basics
 - 2.1.1 Filtration Spectrum
 - 2.1.2 Terms and Definitions of Membrane Filtration
 - 2.1.3 Separation Mechanisms
- 2.2 Polymeric Membrane Characteristics
 - 2.2.1 Introduction
 - 2.2.2 Surface Properties
 - 2.2.3 Hydrophilicity
 - 2.2.4 Zeta Potential
 - 2.2.5 Mechanical Properties
 - 2.2.6 Pros and Cons of Polymer Options for Commercial Membranes
 - 2.2.7 Membrane Structure
 - 2.2.8 Pore Size Distribution
 - 2.2.9 Fibre Diameter
 - 2.2.10 Typical Fibre Properties and Allowable Pressures
- 2.3 Ceramic Membrane Characteristics
 - 2.3.1 Introduction
 - 2.3.2 Materials
 - 2.3.3 Surface Properties
- 2.4 Transport Phenomena
 - 2.4.1 Transport Model
 - 2.4.2 UF vs MF
 - 2.4.3 Operating Regimes
- 2.5 Fouling Phenomena
 - 2.5.1 Background
 - 2.5.2 Particle Fouling Mechanisms
 - 2.5.3 Oil Fouling

- 2.6 Fouling Control Procedures
 - 2.6.1 Strategy
 - 2.6.2 Backwash
 - 2.6.3 Air Flush
 - 2.6.4 Air Scour
 - 2.6.5 Crossflow
 - 2.6.6 Chemical Wash (CW) & Chemical Enhanced Backwash (CEB)
 - 2.6.7 Clean In Place (CIP)
- 2.7 Dosing Chemicals
 - 2.7.1 Background
 - 2.7.2 Coagulant Categories
 - 2.7.3 Coagulant Fouling
- 2.8 Foulant Removal
 - 2.8.1 Introduction
 - 2.8.2 Organics, Algae and Bio-fouling
 - 2.8.3 Inorganics
 - 2.8.4 Iron (Fe) and Manganese (Mn)
- 2.9 Flux & Permeability
 - 2.9.1 Terms and Definitions
 - 2.9.2 Critical Flux
 - 2.9.3 Sustainable Flux
 - 2.9.4 Threshold Flux
- 2.10 Effect of Temperature
 - 2.10.1 Temperature Correction Factor (TCF)
 - 2.10.2 Applying Temperature Correction
- 2.11 Filtrate Quality
 - 2.11.1 Background
 - 2.11.2 Turbidity
 - 2.11.3 Total Suspended Solids (TSS)
 - 2.11.4 Particle Counting

References

Chapter 3: Commercial Membranes & Modules

- 3.1 History of UF/MF Membrane Development
 - 3.1.1 Polymeric Membranes
 - 3.1.2 Ceramic Membranes
- 3.2 Overview of UF/MF Products
 - 3.2.1 Background
 - 3.2.2 Format Comparison
 - 3.2.3 Applications
 - 3.2.4 Suppliers
 - 3.2.5 Product Overview
- 3.3 Manufacture of UF/MF Products
 - 3.3.1 Capillary Membranes
 - 3.3.2 Fibre Manufacture by the SIPS Process
 - 3.3.3 Module Fabrication
 - 3.3.4 Ceramic Membranes
- 3.4 Module Format and System Configuration
 - 3.4.1 Introduction
 - 3.4.2 Hollow Fibre/Capillary vs Spiral Wound
 - 3.4.3 Directflow vs Crossflow

- 3.4.4 Inside Feed vs Outside Feed
- 3.4.5 Pressurized vs Submerged
- 3.4.6 Vertical vs Horizontal
- 3.4.7 Polymeric vs Ceramic

References

Chapter 4: System Design

- 4.1 Background
- 4.2 Flux Guidelines
 - 4.2.1 Introduction
 - 4.2.2 Feed Categorization
 - 4.2.3 Flux Guidelines for PES Membranes
 - 4.2.4 Flux Guidelines for PVDF Membranes
- 4.3 Selecting Design Flux from Pilot Data
 - 4.3.1 Introduction
 - 4.3.2 Example for Wastewater Using the PDI Format
 - 4.3.3 Example for Surface Water using the PDI Format
 - 4.3.4 Example for Surface Water using the SUB Format
 - 4.3.5 Indicative Flux Comparison Between Feed Source and Format
- 4.4 System Configuration
 - 4.4.1 Drinking Water Schematic
 - 4.4.2 Wastewater Treatment Schematic
 - 4.4.3 Brackish or Seawater Schematic
- 4.5 Membrane Filtration System Process Flow
 - 4.5.1 Terminology
 - 4.5.2 Generic Process Flow Schemes
 - 4.5.3 Pressure Driven Inside Feed (PDI)
 - 4.5.4 Pressure Driven Outside Feed (PDO)
 - 4.5.5 Submerged (SUB)
- 4.6 Building Blocks for Membrane Filtration Equipment
 - 4.6.1 Racks for Pressure Driven Systems
 - 4.6.2 Racks for Pressure Driven Outside Feed (PDO) Systems
 - 4.6.3 Racks for Submerged Systems
 - 4.6.4 Ceramic Membrane Racks
- 4.7 Selection and Sizing of System Components
 - 4.7.1 Outline Design
 - 4.7.2 Pipework Velocity
 - 4.7.3 Rack Design
 - 4.7.4 Redundancy Requirements
 - 4.7.5 Rack Arrangement Examples
 - 4.7.6 Tank Sizing
 - 4.7.7 Design Software
 - 4.7.8 System Sizing Example
- 4.8 Process Control Philosophy (PCP)
 - 4.8.1 Process Sequences
- 4.9 Package System Design
 - 4.9.1 Introduction
 - 4.9.2 Pilot Plants
 - 4.9.3 Emergency Plants
 - 4.9.4 Small Commercial Package Plants

References

Chapter 5: Drinking Water Treatment

- 5.1 Background
 - 5.1.1 Introduction
 - 5.1.2 Treatment Processes
- 5.2 Dissolved Organic Carbon (DOC)
 - 5.2.1 Definitions
 - 5.2.2 Removal of Dissolved Organic Carbon by Treatment Processes
- 5.3 Disinfection
 - 5.3.1 Disinfection Agents
 - 5.3.2 Assimilable Organic Carbon (AOC)
- 5.4 Iron and Manganese
 - 5.4.1 Form of the Metal Ion Species
 - 5.4.2 Metal Ion Precipitation
 - 5.4.3 Factors Influencing Precipitation Kinetics
- 5.5 Micro-biological Contaminants
 - 5.5.1 Viruses and bacteria
 - 5.5.2 Protozoan parasites
 - 5.5.3 Challenge procedures
- 5.6 Algae
- 5.7 Silica
 - 5.7.1 Forms of Silica
 - 5.7.2 Fouling and Cleaning
- 5.8 Membrane Integrity
 - 5.8.1 Introduction
 - 5.8.2 Comparison of Membrane Filtration with RO
 - 5.8.3 Integrity Verification Options
- 5.9 Pressure Decay Test (PDT)
 - 5.9.1 Basis of the PDT Method
 - 5.9.2 Procedure
 - 5.9.3 Measurements
 - 5.9.4 Correlation of PDT Measurements with Log Removal
 - 5.9.5 Testing and Repair Frequency
- 5.10 Indicative Capital and Operating Costs
 - 5.10.1 Background
 - 5.10.2 Capital Expenditure (Capex)
 - 5.10.3 Operating Expenditure (Opex)
 - 5.10.4 Total Water Cost (TWC)

References

Chapter 6: Wastewater Reuse

- 6.1 Background
- 6.2 Conventional Activated Sludge (CAS) with Membrane Filtration
- 6.3 Membrane Bioreactor
 - 6.3.1 Formats
 - 6.3.2 Process Flow Configurations
 - 6.3.3 Advantages of MBR
 - 6.3.4 MBR Suppliers
- 6.4 Energy Use
 - 6.4.1 Energy Cost Survey for Reuse
 - 6.4.2 Energy Comparison Between Wastewater Reuse and Other Sources
 - 6.4.3 Treatment vs Transfer

- 6.5 Plant Cost Survey
 - 6.5.1 General Review
 - 6.5.2 Survey of Operating Plants
- 6.6 Operating Plant Experience

References

Chapter 7: Desalination Pre-treatment

- 7.1 Background
 - 7.1.1 Current Status of Desalination Technologies
 - 7.1.2 RO Membrane Life and Aging
- 7.2 Treatment Processes
 - 7.2.1 Objectives of Pre-treatment
 - 7.2.2 Pre-treatment Processes
 - 7.2.3 Advantages of Membrane Pre-treatment for RO
 - 7.2.4 Potential for Elimination of the RO Feed Tank
- 7.3 Treated Water Quality
 - 7.3.1 Silt Density Index (SDI) & Modified Fouling Index (MFI)
 - 7.3.2 The Role of Coagulation
 - 7.3.3 Bio-fouling
- 7.4 Indicative Capital and Operating Costs
 - 7.4.1 Background
 - 7.4.2 Permeate Salinity
 - 7.4.3 Capital Expenditure (Capex)
 - 7.4.4 Operating Expenditure (Opex)
 - 7.4.5 Total Water Cost (TWC)
- 7.5 Operating Plant Experience
 - 7.5.1 Pilot Plant Experience
 - 7.5.2 Survey of Main Plants
 - 7.5.3 Coagulant Case Studies
- 7.6 Environmental Footprint
 - 7.6.1 Sustainability
 - 7.6.2 Environmental Impact Assessment

References

Chapter 8: Implementation and Operation

- 8.1 Background
- 8.2 Project Specification and Invitation to Tender
 - 8.2.1 Introduction
 - 8.2.2 General Scope of Contract
 - 8.2.3 Typical Interface Requirement for the Tender
- 8.3 Piloting
 - 8.3.1 Background
 - 8.3.2 Objectives
 - 8.3.3 Criteria for Success
- 8.4 Acceptance Testing
- 8.5 Performance Analysis
 - 8.5.1 Background
 - 8.5.2 Permeability Trends
 - 8.5.3 Target Permeability
 - 8.5.4 Monitoring Indices
 - 8.5.5 Monitoring index Action Triggers

- 8.6 Common Problems and Remedies
 - 8.6.1 Background
 - 8.6.2 Fouling
 - 8.6.3 Bacterial Contamination
 - 8.6.4 Particle Contamination
 - 8.6.5 Filtrate Quality Monitoring
 - 8.6.6 Pressure Surges and Spikes
- 8.7 Troubleshooting
 - 8.7.1 Fibre Integrity Failure Modes
 - 8.7.2 Causes of Fibre and Module Defects
 - 8.7.3 Non Destructive Testing
 - 8.7.4 Repair Procedures
 - 8.7.5 Performance Re-Test
 - 8.7.6 Autopsy and Investigation
 - 8.7.7 Broken Fibre Location Procedure
 - 8.7.8 Single Fibre Analysis
- 8.8 Warranty

References

Chapter 9: Case Studies

- 9.1 Introduction
- 9.2 Drinking Water: Twin Oaks, California, USA
 - 9.2.1 Background
 - 9.2.2 Process Design
 - 9.2.3 Performance & Experience
- 9.3 Drinking Water: Oregon State Parks, USA
 - 9.3.1 Background
 - 9.3.2 Process Design
 - 9.3.3 Performance and Experience
- 9.4 Wastewater Reuse: Orange County, California, USA
 - 9.4.1 Background
 - 9.4.2 Process Design
 - 9.4.3 Performance & Experience
- 9.5 Wastewater Reuse: Western Corridor, Queensland, Australia, Case Study
 - 9.5.1 Background
 - 9.5.2 Process Design
 - 9.5.3 Performance & Experience
- 9.6 Seawater RO Pre-treatment: Beckton, London, UK
 - 9.6.1 Background
 - 9.6.2 Process Design
 - 9.6.3 Performance & Experience

References

Appendix A: Review of Membrane Filtration Manufacturers' Technology

- A.1 Background
- A.2 Product Overview
- A.3 Hollow Fibre/Capillary Modules: Pressure Driven Inside Feed Formats (PDI)
 - A.3.1 Introduction
 - A.3.2 Norit
 - A.3.3 Aquasource
 - A.3.4 Hydranautics
 - A.3.5 Inge
 - A.3.6 Koch
 - A.3.7 Membrana (OKM)
 - A.3.8 Summary
- A.4 Hollow Fibre/Capillary Modules: Pressure Driven Outside Feed Formats (PDO)
 - A.4.1 Introduction
 - A.4.2 GE-Zenon
 - A.4.3 Pall/Asahi
 - A.4.4 Siemens-Memcor
 - A.4.5 Dow (Omexell)
 - A.4.6 Hyflux
 - A.4.7 Polymem
 - A.4.8 Toray
 - A.4.9 Summary
- A.5 Ceramic Membranes
 - A.5.1 Metawater
 - A.5.2 Ceramem
- A.6 Backwashable Spiral Wound Elements
 - A.6.1 Trisep
 - A.6.2 Nitto Denko

Appendix B: System Design

- B.1 Design Software
- B.2 Design Data Based on Example 3 from Section 4.6.5